

# Operator's Manual



## MLA 628 Turbo



**By the LS-UK Modteam**  
(alwyn, henly20, nishma, rh, sam123)



## Introduction

Thank you for downloading the Manitou MLA 628 Turbo by the LS-UK Modteam. To get the most enjoyment out of this mod, please take a few minutes to read this manual.

## Starting the machine

The MLA628 features a starting procedure similar to a real life machine. To start, press "." on your number pad to begin the starting sequence. As in real life, the dash will light up (see below)



Then, simply press "." again to start the machine. The dash lights will disappear and the engine will fire up.

## Lights

The MLA628 comes equipped with 2 headlights, and 4 spot lights for extra visibility, as well as a rotating beacon for road use.

To turn on the headlights: Press **F**



*The following dash light is displayed:*

To turn on the spot lights: Press **Num pad 4 (KP 4)**

- press KP 4 once to switch *on* rear spots
- press again to switch *on* front spots
- press again to switch *off* front spots
- press again to switch *off* rear spots



*The following dash lights are displayed:*

To switch on the beacon: Press **Home**

## Fuel

Like any machine in reality, the fuel light comes on when the fuel level is low.

When the fuel level is low, the following dash light is displayed:



## Auto steer function

For your convenience, the MLA628 comes with both manual and auto steer functions. Auto steer is standard on all machines in Farming Simulator 2011 and means that when you release the steering key, the wheels return to centre.

Manual steer simply means that you must hold the steering key to return the wheels to centre. This allows operator to remove their hand from the steering keys and the machine will remain with the wheels turned

To enable/disable auto steer: Press **KP 3**

The following symbols indicate whether or not auto steer is enabled:



**Enabled**



**Disabled**

*Note: We recommend that users of steering wheels use the auto steer rather than manual.*

## Operating the Boom

To lift the boom: **Left Mouse Click, Move UP**

To lower the boom: **Left Mouse Click, Move DOWN**

To crowd the bucket: **Left Mouse Click, Move LEFT**

To dump the bucket: **Left Mouse Click, Move RIGHT**

To extend the boom: **Right Mouse Click, Move UP**

To retract the boom: **Right Mouse Click, Move DOWN**



## Rear Hitch

The MLA628 has a rear hitch as standard.

To lower the hitch: Press **]**

To raise the hitch: Press **[**


## Doors

The Manitou's doors can be opened and closed individually.

To open/close left door: Press **KP 1**

To open/close right door: Press **KP 2**

## Help Menu



As a quick reference, the main controls are illustrated in the in game help menu. This is displayed by pressing **KP 0**.



## Specifications

Engine: Perkins 120hp

Lift Capacity: 2800kg

Reach: 6 metres



We hope you enjoy using the Manitou MLA 628 Turbo. To get the best enjoyment from it we strongly advise that you download the "Albutt Loader Attachments Pack", also by the LS-UK Modteam.

Remember; respect our work by not uploading it to other websites.

*Our thanks goes to sven18koehler for allowing us to use his proportional control script.*

